

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	296	(convert\$3 or translat\$3 or convers\$4) same (forma\$2 or versio\$2) same (preserve\$3 or stor\$2 or maintain\$3) same (chang\$3 or edit\$4) same (produc\$2 or output\$4 or creat\$3 or buil\$2) and data and(@ad<"20010330" or @prad<"20010330" or @rlad<"20010330") and ("708"/\$.ccls. or "709"/\$.ccls. or "710"/\$.ccls. or "715"/\$.ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:13
S2	69	(convert\$3 or translat\$3 or convers\$4) same (forma\$2 or versio\$2) same (preserve\$3 or stor\$2 or maintain\$3) same (track\$4 or determin\$5) same (chang\$3 or edit\$4) same (produc\$2 or output\$4 or creat\$3 or buil\$2) and data and(@ad<"20010330" or @prad<"20010330" or @rlad<"20010330") and ("708"/\$.ccls. or "709"/\$.ccls. or "710"/\$.ccls. or "715"/\$.ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:21
S3	5	(convert\$3 or translat\$3 or convers\$4) same (forma\$2 or versio\$2) same (preserve\$3 or stor\$2 or maintain\$3) same (track\$4 or determin\$5) same (chang\$3 or edit\$4) same (produc\$2 or output\$4 or creat\$3 or buil\$2) and data and (relationshi\$2 or chain\$1) and (key\$1 near2 value) and (@ad<"20010330" or @prad<"20010330" or @rlad<"20010330") and ("708"/\$.ccls. or "709"/\$.ccls. or "710"/\$.ccls. or "715"/\$.ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 10:25